



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

MAN TGA 33.430 DFA-WW 6x6 tractor head - NEW

pk id=ma1823

001AA	steering arrangement, left
005NW	wheelbase 3900+1400 mm
006BO	rear frame overhang 700 mm
018DD	engine D2066LF01 - 430 hp / 316 kW EURO3 - 2100 Nm Common Rail
02AAB	instrument panel kmh 'Base-Line'
022GC	gearbox ZF 16 S 222 OD
023RC	twin fuel tank aluminium 400l diesel + 200l hydr. oil right
025MS	front axle VP-09 driven
026EF	front springs parabolic 9,5 t
027AW	extended radiator and intercooler up to 35 degrees ambient temperature
028FP	rear springs parabolic 16 t
028PA	Anbau Doppelachse
03KAA	fuel tank fitted
030EE	steering wheel with height and inclination adjustment
032AB	MAN BrakeMatic (electronic brake system)
034EC	brake shoe width for rear axle 220 mm
034MH	hub-reduction rear axle HPD-1382/ HP-1352
035KL	planetary axle ratio $i = 4.00$
037AC	with differential lock in rear axle
037CA	differential lock in front axle without buzzer
037CM	restricted steering control when FA diff. lock is engaged
038GH	disc wheels 10 hole 11.75-22.5 on 1st FA TL
038PG	disc wheels 10-hole 9.00-22.5 on 1st RA TL
038RG	disc wheels 10-hole 9.00-22.5 on 2nd RA TL
038TH	disc wheel 10-hole 11.75-22.5 as spare wheel TL
04WAA	spiral line between socket and semitrailer
042CY	EC tachograph electronic, automatic, 2 drivers
05NAE	front panel unlockable from inside
050NF	L cab 2240mm wide, 2280mm long
052AC	storage compartment accessible from outside, lid unlocked from inside
057EX	Model code plate (supplied loose)
058BA	seat coverings in standard quality
058NH	driver's seat, high-comfort, with air suspension
059NA	co-driver's seat static, with longitudinal + seat back adjustment
080AE	door interior panelling washable

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

116AP	Visco fan with high cooling output
118MA	EDC engine regulation
121NA	without heating for gearshift
122QH	PTO NH/1C without flange f=0.91/1.09 right side, horizontal
123CC	strainer for fuel tank
124AL	fuel filter
124AR	additional fuel filter heated with water trap, make SEPAR
124EA	fuel filter heating
142AF	calibrate tachograph
146AF	front wheel drive (dis)engageable
146KA	transfer case G172
150AZ	cab tilt mechanism hydraulic/ electric
153EW	water aux. heater with coolant pre- heater, EBERSPAECHER D5W
153EY	air auxiliary heater EBERSPÄCHER D4S
153KC	air conditioning system AC R134A with automatic temperature control without CFHC
159CS	cab insulation NORDIC (against cold)for M, L and LX cab
194AT	operator's manual in RUSSIAN
194EA	additional operator's manual in ENGLISH
196XA	without sticker on front panel
201AS	air intake raised with dry air filter
201EM	air filter element with safety element for heavy-duty operation
201FA	fine dust and pollen filter
203ER	control module for external data exchange (KSM) with body functions
205AN	air compressor 1-cylinder, 360 ccm
206AP	exhaust upswept right
206TA	elbow for upswept or raised exhaust
208AK	exhaust valve brake
210AA	flame starting system
211FF	single-plate clutch MFZ 430
227AC	rear axle breather upswept
230XW	without front underride guard
233EM	3-part steel bumper
236AF	cross member for trailer coupling
245XX	without spare wheel holder
256AF	steering wheel lock with immobiliser
258HA	anti-lock braking system (ABS)
259CC	drum brake for front axle
259CE	drum brake for rear axle
262AZ	2-line brake connection behind cab
263AF	asbestos-free brake linings
272FA	entry lighting for driver and co-driver
277AP	automatic maintenance system for fifth-wheel coupling

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

280AC	wiring for tank truck to ADR
280EU	stoneguard grille in front of radiator
280FB	working platform with step and grab handle
281AA	high design
283FS	cab mounts on coil springs for 'L,LX,XL,XLX,XXL' cab
284LV	Achtung: Einbußen im Fahrkomfort wegen Vorderfedern
303AT	tank cap without lock, 1 pc. withoutvent
310EE	halogen twin headlights H7 for right-hand traffic
310FA	2 spotlights on cab roof
311AA	protective grille for headlights headlights
311BA	Note: protective grilles for headlights have no EU approval
318AA	marker lamps
318AK	lateral marker lights
319AR	reading lamp for driver
320AC	switches and wiring for cargo space lighting
321EC	central locking
324AC	two-tone horn,electric
325AA	MAN Tronic (on-board computer)
325EC	language 1 'English' for display in instrument panel
325FT	language 2 'Russian' for display in instrument panel
326CR	trailer socket for ABS behind cab
326ET	trailer socket, 24 V, 7+7-pole, behind cab
327AF	battery main switch, mechanical
329CW	2 batteries, 12V 225 Ah
329ES	battery box up to 225Ah
331HC	alternator 28V 110A 3080W
337AH	oil pressure gauge
337AK	oil temperature gauge
339FA	time in instrument panel (trip data)
343CK	Akustische Warnanlage f. eingelegtenRückwärtsgang abschaltbar
345AW	speed limiter electronic 80 km/h
345EA	cruise control
346CA	charging pressure indicator
350LK	CB radio antenna on cab roof
350NK	radio MAN CD 24V
351AF	preparation for radiotelephone
352EP	2 halogen revolving beacons yellow on cab roof left and right
362AF	stabilizer on 2nd rear axle only
363AA	stabilizer for front axle
370CR	air dryer, heated
373AE	antifreeze effective down to -35 degrees
376FA	1 Schlaf liege mit Stauraum (Alu-Rahmen)

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

376HA	mattress for lower bunk
376XK	without mattress for upper bunk
378AM	1 pillow
380AC	windscreen of laminated glass tinted
380CA	door windows tinted
381AS	cab rear wall with 2 tinted windows,centre and right
381CE	all-round curtain
381CF	curtain at rear window
381XC	without curtain before bunks
385AT	side windows tinted behind B-post
386AS	mechanical sliding roof
387AF	electric door window lifters for driver and co-driver
388AH	roller blind for windscreen, mechanical
388AK	sun shade in front of windscreen
389AC	handles left and right (on B-post)
389AD	handles left and right (on A-post)
390CT	cup holder in dashboard
390XN	without waste paper bins between theseats
390XX	without oddment box
392AK	rear-view mirror(s) heatable and electrically adjustable
392AR	kerb mirror, right, heated and electrically adjustable
392AS	wide-angle mirror, right, heatable and electrically adjustable
392AX	wide-angle mirror, left, heated and electrically adjustable
392HA	mirror brackets for body width 2500-2600 mm width 2500 mm
392XJ	Ohne Frontspiegel auf Beifahrerseite
400AH	mudflap front
401EZ	Kunststoffkotflügel 3-teilig mit Schmutzfänger (ohne Sprühnebel- Verminderung)
404AP	spray reducer
405AC	first-aid kit
405AK	hazard-warning sign
405AR	hazard-warning lamp
407AH	jack 12 t
411AA	1 chock
434AF	cigar lighter and socket
434ES	dashboard in standard version
491CF	fifth-wheel coupling JOST JSK 38 C-1 2" height 190 mm
493HL	kingpin to rear axle centre 1125 mm
493YT	JOST fifth-wheel base plate 40 mm (fifth-wheel loads up to 36t)
523AC	signs in English
524IX	load variant 33000 kg
534FR	permissible front axle load 9000 kg
535KS	permissible rear axle load 2 x 13000 kg

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

538AE	plastic floor and engine tunnel covering
542BK	exhaust gas certificate Euronorm
542FB	anti-noise package for 82 dB limit (92/97 EEC) all-wheel drive
600AC	Fittings for right-hand traffic
LQW01	chassis in water-based paint
LVS01	chassis graphite black RAL 9011 matt
LVS02	wheels White aluminium acrylic RAL 9006
LVS03	cab Pure white RAL 9010
80001	2 Continental O 385/65R22,5 HSW SCA
90001	4 wahlweise 315/80R22,5 ANTR-S+G TL
90002	4 wahlweise 315/80R22,5 ANTR-S+G TL
90004	1 Continental O 385/65R22,5 HSW SCA

www.pktrucks.com