



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

MAN TGA 40.400 BB-WW 6x4 with Ruizeveld 16 cbm. heavy duty rear tipper – NEW



pk id=ma2071

001AA	steering arrangement, left
005NW	wheelbase 3900+1400 mm
006CI	rear frame overhang 800 mm
018SI	engine D2066LF06 - 400 hp / 294 KW EURO2 - 1900 Nm Common-Rail
02AAB	instrument panel kmh 'Base-Line'
022GC	gearbox ZF 16 S 222 OD
023CT	fuel tank 300l right
025MK	front axle VO-09 straight
026EF	front springs parabolic 9,5 t
027AX	extended radiator and intercooler over 35 degrees ambient temperature
028ED	rear springs trapezoidal 16 t
028PA	Anbau Doppelachse
03KAA	fuel tank fitted
030EE	steering wheel with height and inclination adjustment
032AB	MAN BrakeMatic (electronic brake system)
034EC	brake shoe width for rear axle 220 mm
034MS	hub-reduction rear axle HPD-1682/ HP-1652
035LF	planetary axle ratio $i = 4.33$
037AC	with differential lock in rear axle
038EZ	disc wheel 10-hole 8.5-24 as spare wheel TT
038WE	disc wheels 10-hole 8.5-24 at 1st RATT
038WG	disc wheels 10-hole 8.5-24 at 2nd RA TT
038WL	disc wheels 10-hole 8.5-24 at 1st FA TT
042XY	without electronic tachograph
05NAE	front panel unlockable from inside
050NN	M cab 2240mm wide, 1880mm long
052XA	without stowage boxes
058BA	seat coverings in standard quality

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

058NE	driver's seat static, longitudinal, seat back and height adjustment
059NA	co-driver's seat static, with longitudinal + seat back adjustment
064AC	two additional vehicle keys
080AE	door interior panelling washable
116AE	visco fan
118MA	EDC engine regulation
121NA	without heating for gearshift
122QH	PTO NH/1C without flange f=0.91/1.09 right side, horizontal
123AC	guard plate for 1 tank
123CC	strainer for fuel tank
124AL	fuel filter
124AM	additional fuel filter with water trap, make SEPAR
153KC	air conditioning system AC R134A with automatic temperature control without CFHC
159XS	without cab insulation NORDIC (against cold) for M, L and LX cab
194AT	operator's manual in RUSSIAN
194EA	additional operator's manual in ENGLISH
196XA	without sticker on front panel
201AS	air intake raised with dry air filter
201EM	air filter element with safety element for heavy-duty operation
201FA	fine dust and pollen filter
205AN	air compressor 1-cylinder, 360 ccm
206ET	exhaust on lh side with tail pipe towards rear
208XD	without exhaust valve brake (EVB)
210AA	flame starting system
211FF	single-plate clutch MFZ 430
227AC	rear axle breather upswept
230AH	rear underride guard, round
230XW	without front underride guard
230YX	without lateral underride guard
233EM	3-part steel bumper
236AF	cross member for trailer coupling
241AC	without platform mounting brackets
245AE	spare-wheel holder on left side
256AA	steering wheel lock
258HA	anti-lock braking system (ABS)
259CC	drum brake for front axle
259CE	drum brake for rear axle
262XX	without brake connection on frame end
263AF	asbestos-free brake linings
272FA	entry lighting for driver and co-driver
280EU	stoneguard grille in front of radiator

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

281AA	high design
283FB	cab mounts on coil springs for 'M' cab
284LE	Important: poorer ride comfort due to trapezoidal rear springs
303AA	tank cap lockable - 1 cap w/o vent
310EE	halogen twin headlights H7 for right-hand traffic
311AA	protective grille for headlights headlights
311BA	Note: protective grilles for headlights have no EU approval
318AA	marker lamps
318AK	lateral marker lights
319AR	reading lamp for driver
324AC	two-tone horn, electric
325AA	MAN Tronic (on-board computer)
325EC	language 1 'English' for display in instrument panel
325FT	language 2 'Russian' for display in instrument panel
326XY	without 24 V socket at frame end
329CT	2 batteries, 12V 175Ah
329ER	battery box up to 175Ah
331CB	alternator 28V 80A 2240 W
337AH	oil pressure gauge
337AK	oil temperature gauge
339FA	time in instrument panel (trip data)
345AV	speed limiter electronic 85 km/h
345XA	without cruise control
346CA	charging pressure indicator
350NK	radio MAN CD 24V
362AH	stabilizer on both rear axles
363AA	stabilizer for front axle
370CM	air dryer
373AD	antifreeze down to -25 degrees
376XH	without mattress for lower bunk
376XK	without mattress for upper bunk
376XL	without bunk for 'M' and 'C' cab
378XE	without pillow
380AC	windscreen of laminated glass tinted
380CA	door windows tinted
381AA	cab rear wall without windows
381XC	without curtain before bunks
381YA	without all-round curtain for C/M cab
385AT	side windows tinted behind B-post
386AS	mechanical sliding roof
387AG	mechanical door window lifters for driver and co-driver

www.pktrucks.com



pk trucks holland

Showroom: Graanweg 2 (M200)
4782 PP Moerdijk
The Netherlands

Tel. : +31 168 382 032
Fax : +31 168 382 023
E-mail: pktrucks@pktrucks.com

388AH	roller blind for windscreen, mechanical
389AC	handles left and right (on B-post)
389AD	handles left and right (on A-post)
390XN	without waste paper bins between theseats
390XX	without oddment box
392AH	kerb mirror, right
392AL	mechanical wide-angle mirror, right
392AT	mech. wide-angle mirror, left
392AY	rear view mirror, mech. adjustable
392HA	mirror brackets for body width 2500-2600 mm width 2500 mm
392XJ	Ohne Frontspiegel auf Beifahrerseite
400XX	front mudflaps deleted
401CQ	Kunststoffkotflügel hinten (Halbschale; ohne Sprühnebel- Verminderung)
404XG	without spray reduction facility
405AC	first-aid kit
405AK	hazard-warning sign
405AR	hazard-warning lamp
407AH	jack 12 t
411AA	1 chock
434AF	cigar lighter and socket
434ES	dashboard in standard version
534FR	permissible front axle load 9000 kg
538AE	plastic floor and engine tunnel covering
542FX	anti-noise measures are not in accordance with EU standard
600AC	Fittings for right-hand traffic
LQW01	chassis in water-based paint
LVS01	chassis graphite black RAL 9011 matt
LVS02	wheels White aluminium acrylic RAL 9006
LVS03	cab Pure white RAL 9010
80001	2 wahlweise 12,00R24 LENK-S+G
90001	4 wahlweise 12,00R24 ANTR-S+G
90002	4 wahlweise 12,00R24 ANTR-S+G
90004	1 wahlweise 12,00R24 LENK-S+G

www.pktrucks.com