



# pk trucks holland

Showroom: Graanweg 2 (M200)  
4782 PP Moerdijk  
The Netherlands

Tel. : +31 168 382 032  
Fax : +31 168 382 023  
E-mail: pktrucks@pktrucks.com

---

## MERCEDES BENZ 4150-AK ACTROS 8x8 with MEILLER 19 cbm. rear tipper – NEW

pk id=me2124

AL5 Front axle 9.0 t  
AM6 Rear axle H7, 16.0 t, crownwheel 300 mm  
AR1 Rear axle H 7, ratio 5.333:1  
AW9 Revised H7 differential gearing (NAG7)  
A70 Differential lock front axle  
BB0 ABS cut out option  
BB1 Telligent brake system with ABS  
BB6 Drum brakes front and rear  
B65 Heated air dryer  
CL9 Steering LS 6/LS S  
CR4 Chassis brackets/fastners for body mounting  
C42 Stabilizer rear axle under frame  
C63 Steel bumper  
C71 EC underride guard at rear  
D25 Steel sunroof  
EMS PSM, body + trailer CAN-bus interf.,ISO 11992 (24V basis)  
ET1 Transformer 24V to 12 V, 8A  
EV2 CD radio installation kit  
EV5 Telephone and telefax installation kit  
EW2 Deletion of pre-fittings for toll tracking  
E39 Trip switch circuit breakers  
ES4 Battery cover lockable  
FC7 Tinted windows without band filter  
FE5 Window lift for driver/co-driver door, electr.  
FE6 Cab steps, movable  
FJ2 Stowage box on engine tunnel. fixed  
FL6 Cab suspension, standard  
FN1 Distribution cockpit  
FS2 Wide angle mirror on driver's side, heated  
FW2 Deletion immobiliser (transponder)  
F05 M-cab (medium-long)  
F24 Cab rear wall, straight  
F34 Cab rear wall without window  
F52 External sun visor, tinted  
GC2 Gearbox G 240-16/11.7-0.69  
GK1 Oil cooler for transfer Case  
GS3 Hydraulic gearshift

---

# www.pktrucks.com



# pk trucks holland

Showroom: Graanweg 2 (M200)  
4782 PP Moerdijk  
The Netherlands

Tel. : +31 168 382 032  
Fax : +31 168 382 023  
E-mail: pktrucks@pktrucks.com

---

GV2 Transfer case VG2400 - 3W, two speed  
G81 Reinforced clutch  
HF1 Dust filter for heating and ventilation  
H03 Air conditioning  
IA9 Axle configuration 8x8/4  
IC2 Tipper chassis  
ID1 Leaf springs  
IF2 Model range MPII  
IL1 Domestic Market (Germany)  
IR8 Wheelbase 4800 mm  
IV9 41 . 0 tonner  
IX8 V8 engine  
IY2 Hydraulic fluid, pentosin CHF 11 S  
I84 Tyres 12.00 R 24 on front/trailing axle  
I85 Tyres 12.00 R 24 on rear axle  
JN0 Tachograph 1 day/2 driver  
KS2 Main tank 300 liters, steel  
K40 Lockable fuel cap  
K45 Fuel screen in filler neck  
K68 Exhaust silencer (s) vertical, behind cab  
L30 Protective grilles for headlights  
L58 Revolving beacon on cab, yellow  
L72 Power for body lighting  
MD4 Speed limiter 90 km/h EC  
MD9 Cruise control  
ML3 Step-up cooling fan drive with belt drive  
MP2 Increased engine cooling performance  
MS3 Engine version Euro 3  
MV6 Engine OM 502 LA 370 KW (503 HP) 1800/rpm  
M49 Tandem air cleaner  
NZ1 Single PTO  
NO5 MB PTO 2c  
N55 Gearbox oil cooler  
P92 Deletion mudguards for transit  
QD3 Front springs 9.0 t, asymmetric  
QF8 Rear springs 18.0 t for 1450 mm axle spread  
028 Rockinger coupling  
Q57 Recovery coupling rear  
RB1 Alternative tyres as agreed with customer  
R04 Wheel nut covers  
R28 Wheels 8.5-24 for 12.00-24 tyres

---

# www.pktrucks.com



# pk trucks holland

Showroom: Graanweg 2 (M200)  
4782 PP Moerdijk  
The Netherlands

Tel. : +31 168 382 032  
Fax : +31 168 382 023  
E-mail: [pktrucks@pktrucks.com](mailto:pktrucks@pktrucks.com)

---

R60 Spare wheel provisionally mounted  
SF1 Fold-up seat for co-driver, velour  
SH1 Comfort driver suspension seat, Grammer  
TT9 weight variant 48.0 t (9.0/9.0/16.0/16.0)  
XKO Mercedes-Benz OnRoadService  
XK3 Driveline warrantee, per Terms / conditions, 3 years/250.000 km  
X31 Registration papers prepared  
X33 Test compliance booklet  
X57 Noise suppression CM 96/20 compliant  
Y10 First aid kit  
Y28 Two wheel chocks  
Y44 Warning triangle  
Y45 warning lamp  
ZZ3 Vehicle to be driven on lefthand side of road

---

# [www.pktrucks.com](http://www.pktrucks.com)